

07-28-00

A

White & Fudala

57 Bedford St.  
Suite 103  
Lexington, MA 02173  
Telephone (617) 863-2041  
FAX (617) 863-2250  
E-MAIL [marcus@tiac.net](mailto:marcus@tiac.net)

Mark P. White

Muriel Fudala

jc875 U.S. PTO  
09/626803  
07/27/00

Commissioner of Patents and Trademarks  
Washington, D.C. 20231

Dear Sir:

Transmitted herewith for filing is the Utility Patent application of:

Applicant: Gillig, R.

For: System for Automated Generation and Assembly of Specifications  
Documents in Cadd Environments


Attorney Docket Number: GIL-001

Enclosed are:

- 1) Application for Utility Patent— 23 pages + 2 pages Declaration
- 2) Appendix A—2 pages
- 3) Formal Drawings— 7 pages
- 4) Verified Statement Claiming Small Entity Status—1 page
- 5) A check in the amount of \$399.00—filing fee
- 6) Return receipt postcard

"Express Mail" mailing label number **EI516517961US**, Date of Deposit July 27, 2000.  
I hereby certify that the attached U.S. Patent Application is being deposited with the  
United States Postal Service "Express Mail Post Office to Addressee" service under 37  
CFR 1.10 on the date indicated below and is addressed to the Commissioner for Patents  
and Trademarks, Washington, D.C. 20231.

By: Mark P. White



July 27, 2000

Please direct all communications regarding this application to this law office.

[♣] Payment is enclosed.

[illegible]

Date: July 27, 2000.

Mark P. White

**VERIFIED STATEMENT CLAIMING SMALL ENTITY STATUS  
 (37 CFR 1.9(f) & 1.27(b))--INDEPENDENT INVENTOR**

Docket Number (Optional)

GIL-001

Applicant or Patentee: Gillig, R.

Application or Patent No.: \_\_\_\_\_

Filed or issued: \_\_\_\_\_

Title: SYSTEM FOR AUTOMATED GENERATION AND ASSEMBLY OF  
 SPECIFICATIONS DOCUMENTS IN CADD ENVIRONMENTS

As a below named inventor, I hereby declare that I qualify as an independent inventor as defined in 37 CFR 1.9(c) for purposes of paying reduced fees to the Patent and Trademark Office described in:

- ☒ the specification filed herewith with title as listed above.  
☐ the application identified above.  
☐ the patent identified above.

I have not assigned, granted, conveyed, or licensed, and am under no obligation under contract or law to assign, grant, convey, or license, any rights in the invention to any person who would not qualify as an independent inventor under 37 CFR 1.9(c) if that person had made the invention, or to any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).

Each person, concern, or organization to which I have assigned, granted, conveyed, or licensed or am under an obligation under contract or law to assign, grant, convey, or license any rights in the invention is listed below:

- ☒ No such person, concern, or organization exists.  
☐ Each such person, concern, or organization is listed below.

Separate verified statements are required from each named person, concern, or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))


I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

Robert B. Gillig

NAME OF INVENTOR

NAME OF INVENTOR

NAME OF INVENTOR

  
 Signature of inventor

Signature of inventor

Signature of inventor

7-26-00  
 Date

Date

Date

# **SYSTEM FOR AUTOMATED GENERATION AND ASSEMBLY OF SPECIFICATIONS DOCUMENTS IN CADD ENVIRONMENTS**

## **BACKGROUND OF THE INVENTION**

### **FIELD OF THE INVENTION.**

#### **5   Description Relative to the Prior Art**

In the creation of Architectural, Engineering, or other design-services based fabrications, it is typically required that both graphical and textual descriptions of the final product be produced. Graphical descriptions ('Drawings') are typically produced in Computer-Aided Design and Drafting ('CADD') software programs such as AutoCAD, and textual descriptions ('Specifications') are produced in text processing programs such as Microsoft Word. Drawings and Specifications are complimentary- Drawings typically delineate such information as size, shape, volume, material types, and details of fabrication whereas Specifications typically describe acceptable methods of assembly and standards of quality for the fabrication process as a whole or within its constituent parts.

15 In general terms, the Drawings component can be seen as embodying issues of quantity, and the Specifications component can be seen as responding to issues of quality. The two are combined in what is commonly known as the Project Manual. The activity that entails the preparation of the Project Manual for compensation is known as a Project. A complete Project Manual establishes an unambiguous understanding of the nature and scope of the Project, allowing all parties to the Project to come together to establish specific pricing, fabrication timetables, and expectations of quantity and quality agreeable to all. Furthermore, a complete Project Manual establishes a legal standard by which

20

performance under the Contract for Fabrication can be adjudicated in the event of any disagreement between parties to the Project during or upon completion of the fabrication.

It is commonplace that Drawings are produced first. Drawings consist of a series of lines arranged in such a way as to illustrate a fabrication in whole or in part, together with text notations ('Drawing Notes') identifying in writing each material, part, or assembly to ensure an accurate interpretation of the graphical illustrations by the fabricator. It is commonplace that Drawings are prepared by Interns and Junior Designers under the supervision of a Partner or Senior Designer.

After the production of the Drawings is completed or well under way, Specifications are produced. In spite of the critical role Specifications play in the successful completion of a Project, Interns and Junior Designers typically are not skilled in Specifications preparation, often by their own choice, as it is commonly seen as unglamorous drudgery. Specifications are derived manually, most often by professionals specializing in this activity. Specifications may be produced 'in-house' but are often produced by external consultants who have no specific knowledge of the Project before receiving the Drawings. Specifications are produced through a laborious process of cataloguing each Drawing Entity in the Drawings and creating a customized Specification text to be associated with it. 'Drawing Entity' here refers to any Notation, Item, Material, Part, or Assembly that can be identified as logically discreet or unique within the context of a given Project. A Drawing Entity may be electronically stored in any manner allowing for accurate retrieval, including in Operating System directories or structured databases. Once created, Drawing Entities are often reused in many Projects in a particular office

environment, this redundancy being seen as beneficial to productivity. New Drawings are created through new combinations of these basic elements.

The process of Specifications development is susceptible to human error and inaccuracy, with potential consequences to the Project and all parties associated with it of delays, cost overruns, and/or litigation. Specifiers must research each particular material, system or technology referenced in the Drawings, sometimes exhaustively, collate this information, and produce a written document in Industry-standard format (which varies by industry) comprising the complete Specifications Document for the Project in question. Specifications Documents typically run into the many hundreds of pages, and for large projects, well over a thousand pages. The process of creating Specifications Documents can be tedious and time-consuming and on a Project-to-Project basis can be highly redundant, but since each Project is at least slightly different, and since those differences cannot be assumed to be self-evident, it is incumbent upon the Specifier to essentially 'start-from-scratch' with each new Project. Much Specifications text can be reused Project-to-Project, but not without completely rereading, editing and modifying as required, re-collating, adding new Specifications text as required by the addition of new Drawing Entities in the Drawings, and subsequent reassembly of all constituent parts to form a new Specifications Document.

The current Invention provides a software link between CADD software used for producing Drawings and Word Processing software used for producing Specifications. This software link 'tags' or otherwise identifies all unique Drawing Entities in all Drawings comprising a Project. This Linking Software establishes and maintains a database that associates, on a one-to-one basis, each unique Drawing Entity with a pre-

prepared or concurrently prepared block of Specifications Text. In so doing, collating all Drawing Entities in a Project, while ignoring duplicates, allows for the immediate and automatic collation and assembly of a complete Specifications Document. This benefit is accrued incrementally over time, and the initial act of Specifications text creation may be  
5 equally as tedious and time-consuming as in conventional methods. However, because each specific Specifications Text Block is associated with a specific Drawing Entity that is in turn associated with it regardless of Project context, reuse of that Drawing Entity in a subsequent Project realizes the aforementioned efficiency with each reuse. Over time, a database of Drawing Entities can be accumulated that may suffice for virtually all  
10 Projects, and tools imbedded in the current invention allowing for the easy addition of unique links between new Drawing Entities and new Specifications Text Blocks will eventually allow for the automatic generation and assembly of complete Specifications Documents without review by Specifications professionals.

The software implementing this Link may also provide other necessary functions  
15 producing corollary benefits, such as:

A database of Drawing Entities must be created and maintained, and be accessible to all persons needing to modify any or all Drawings associated with a Project. Ready accessibility of this Drawing Entities database allows for automatic insertion of previously defined Drawing Entities into the CADD Drawing, which saves time and  
20 increases accuracy as compared with reconstructing Drawing Entities manually, as is typical. The Drawing Entities database can be centrally maintained and updated within an organization to ensure the greatest possible organization-wide standardization and accuracy across all Projects and all Persons authorized to modify any or all Projects.

Updating a Drawing Entity in the central database causes every occurrence of that Entity to be updated throughout a Project or multiple Projects, which is otherwise a time-consuming task prone to human error.

It is not necessary for every imaginable Drawing Entity to be referenced in the database for great efficiencies to be realized. Even if only 90% or so of a new Project is anticipated by the current state of the database, that implies that only 10% of the Project's necessary Drawing Entities need to be constructed from scratch, and accuracy will be much greater since 90% of the new Project's Drawing Entities will already be 'pre-approved'. Furthermore, upon completion of the new Project, the Database will have expanded by 10% and it can be assumed that in the aggregate, ensuing Projects will have an ever greater efficiency ratio than those previous, tending towards 100% for some, if not all, Projects.

#### SUMMARY OF THE INVENTION

It is a general object of the current invention to provide a system to generate and maintain a database of CADD Project documentation which can be generally used in a variety of Projects throughout a CADD-based Design or Engineering firm. It is a specific object of the invention to provide such a system in a modular form, with reusable Specifications Text Blocks and reusable Drawing Entities.

#### BRIEF DESCRIPTION OF THE DRAWINGS

These, and further features of the invention, may be better understood with reference to the accompanying specification and drawings depicting the preferred embodiment, in which:



Figure 1 depicts a flow chart showing the operation of the current invention.

Figure 2 depicts a block diagram of the invention.

Figure 3 depicts an exemplary drawing typical of those produced by use of a CADD system, containing Drawing Entities with which the current invention interacts.

5 Figure 4 depicts a window of a WINDOWS implementation of the current invention, allowing for the complete management of a database of Drawing Notes, including commanding the creation/editing of Drawing Entities, more specifically Drawing Notes, and searching for, retrieval of, and insertion into a CADD Drawing of Drawing Notes.

10 Figure 5 depicts a window of a WINDOWS implementation of the current invention, providing for the editing of Drawing Notes, the insertion of reference IDs, and commanding the input of Specifications Text Blocks.

Figure 6 depicts a window of a WINDOWS implementation of the current invention, providing for the creation and editing of Specification Text Blocks.

15 Figure 7 depicts a window of a WINDOWS implementation of the current invention, providing for the assembly of all indicated Specification Text Blocks, as well as other documents such as contracts and other legal agreements, into a complete Specifications Document for a Project.

## DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

### **DEFINITIONS**

20 Within this application, the following definitions will be used:

Drawing Entity: The basic unit of a document created by a CADD system.

Specification Text Blocks: Discreet blocks of corroborative Textual documentation capable of being associated with a unique Drawing Entity.

Specifications Document: the aggregate of a user-specified subset of Specifications Text Blocks

5 Legacy Specifications Document: Specifications documents previously created and still on file, available as a resource in the creation of new Specifications documents for new Projects.

10 Legacy CADD Drawings: CADD Drawings previously created and still on file, available as a resource in the creation of new CADD Drawings for new Projects.

Project Database: The database used in a current Project, containing the Specifications Text Blocks for the current Project, and the links between unique Drawing Entities and the associated Specifications Text Blocks.

15 Linking Software: The software which is used in the preferred embodiment to implement the current invention.

Architectural Drawing Notes A type of Drawing Entity consisting of text. (also referred to as 'Drawing Notes')

## **GENERAL CONCEPT OF OPERATION**

20 The current invention provides a system allowing for the automated assembly of Specifications Documents for Design and Engineering disciplines utilizing computer hardware and software as a primary method of document generation. The system includes a general purpose computer, with input and output devices attached. The

software running on the computer system provides implementation by means of Linking Software that assists in generating and maintaining a database of Specifications Text Blocks which reside on the computer mass storage. Alternatively, the system may also be implemented on a data communications network of computers, including the Internet.

- 5 The documents produced by this system are output in various forms, including hard-copy printouts.

One of the main functions of the Linking Software is to establish and maintain an electronic link between each stored Drawing Entity of the set of Drawing Entities in the database, and an associated Specifications Text Block.

- 10 In accordance with the current invention, Specifications Text Blocks can be newly generated or cut-and-pasted from Legacy Specifications Documents and added to the Project Database. Saved Specifications Text Blocks are organized within this database by the Linking Software to allow for accurate and immediate retrieval of each unique Specifications Text Block when requested by the Linking Software.

- 15 Drawing Entities can be newly generated in CADD software or extracted from Legacy CADD Drawings and saved as individual files to disk or added to the Project Database, depending upon the type and nature of the Drawing Entity. In either case, each Drawing Entity is assigned a unique identifying tag by the Linking Software before being stored. This tag may store a variety of items of information about the Drawing Entity and  
20 its environment, but necessarily (at a minimum) stores retrieval information for the associated Specifications Text Block contained in the Project Database and information allowing hierarchical assembly of all referenced Specifications Text Blocks at the end of the Project.

The Linking Software allows the user to freely establish the hierarchy of assembly of all referenced Specifications Text Blocks according to a convention defined by the user, employing standard conventions that exist specific to the user's Design or Engineering discipline, or using a custom convention created by the user.

5 Accordingly, the Linking Software maintains a constant watch over the act of drawing creation in the CADD software and when the creation of a unique Drawing Entity is detected, the Linking Software prompts the user to identify the Specifications Text Block in the current database that is to be associated with the Drawing Entity. Alternatively, if no such Specifications Text Block currently exists, the Linking Software  
10 opens a text processing module that allows the user to create a new Specifications Text Block or to cut-and-paste from Legacy Specifications Documents. When the Specifications Text Block is identified, or created and saved, the Linking Software permanently tags the Drawing Entity with an invisible reference, or link, to the Specifications Text Block in the Project database maintained by the Linking Software,  
15 and the Drawing Entity is stored.

In the event that a Drawing Entity is modified or edited in the CADD software, the Linking Software detects that modification and prompts the user to modify the associated Specifications Text Block accordingly, as required. If the Specifications Text Block needs to be modified, the Linking Software references the Drawing Entity tag to  
20 determine the location of the associated Specifications Text Block, locates the indicated Specifications Text Block in the database, opens a text processing module and loads the indicated Specifications Text Block for editing. When the user has completed the

necessary editing, the newly modified Specifications Text Block is saved and the Project Database is updated by the Linking Software to reflect the change.

Reuse in subsequent Projects of a Drawing Entity that has been previously tagged allows for the automatic inclusion of the associated Specifications Text Block into the Specifications Document for the new project, without editing or review, and ensuring  
5 'pre-approved' accuracy of that portion of the completed new Specifications Document.

Assembly of a full Specifications Document occurs at user request. The Linking Software scans all drawings included in the Project, as identified by the user, detects and records all Drawing Entity tags and assembles a list of all Specifications Text Block  
10 links, listed hierarchically according to a preferred indexing convention. The complete Specifications Document is then saved to disk in a standard file format for subsequent printing by the user or electronic transmission to others involved in the Project.

An important benefit of the current invention is that with consistent use it allows effectively instantaneous, automated generation of all or part of the Project Specifications  
15 Documents, properly collated in Industry-standard format. Another benefit of the current invention is that the generated Specifications documents are reliable and accurate to the degree that information saved to the database is accurate, and are not susceptible to human error in either the authoring or collating phases of Specifications Document assembly.

20 In a preferred embodiment, Architectural Drawing Notes are tagged by the Linking Software as they are written or as they are included in the Drawing from storage on disk, being previously tagged before being stored. Each unique Drawing Note has a Specifications Text Block associated uniquely with it as assigned by the user and saved

by the Linking Software. All Drawing Notes in all Drawings associated with a Project are tagged as the Drawings are created. The Linking Software includes a module that polls all Project Drawings to ensure that all Drawing Notes have been tagged and assigned links to Specifications Text Blocks before final output of the Specifications Document, prompting the user appropriately if this is not the case. The aggregate of all Drawing Notes in all Drawings associated with a Project gives a complete textual description of all materials, parts, and assemblies comprising the completed fabrication.

The tags, or links, contain an index which allows for the organization of the Specifications Text Blocks in a desired sequence. A preferred indexing system in an Architectural Design environment is known as 'MASTERSPEC'® and is published and maintained by the American Institute of Architects, the representative body for architectural professionals. Furthermore, Drawing Notes may be stored by the Linking Software for easy reuse or maintenance, with corollary benefits of time savings and increased accuracy. At the end of the Project and at the user's request, all Drawing Notes in all CADD Drawings identified by the user as comprising the Project are examined by the Linking Software and a list of links to associated Specifications Text Blocks is built, arranged hierarchically according to the MASTERSPEC numbering system. The Linking Software then assembles a complete Specifications Document by creating a new file and moving down the list one entry at a time and appending that entry's associated Specifications Text Block to the end of the new file until the list has been completed.

The new file is then closed and named by the user. At this point the file, which represents the completed Specifications Document, is available to the user for printing or electronic transfer.

## FIRST PREFERRED EMBODIMENT

Referring now to Figure 3, which shows a detail drawing representative of the types  
5 of graphical drawings that in the aggregate comprise a Drawing, a number of which in  
turn comprise the graphical portion of a Project. The drawing of Figure 3 contains a  
graphical depiction of a particular assembly 68, and a number of textual components, in  
this case, Drawing Notes. The upper-most Drawing Note 60 reads “Galv. Masonry Ties  
@ 24” o.c. vert. (typ)”. A lead line 62 points to the area of the graphical depiction to  
10 which the Drawing Note refers. The next Drawing Note below Drawing Note 60 appears  
as Drawing Note 66, reading “1/2 “ gypsum Wall Board on 1-1/2” stl. furring channels @  
24” o.c. vert. (typ.)” .

In the prior art this graphical depiction was created by a CADD program, and the  
Drawing Notes are likewise contained within this same CADD program. Both the  
15 constituent parts of the graphical depiction, and the Drawing Notes are Drawing Entities  
in the prior art. Utilizing this same prior art, a set of Specifications were generated by  
specialists generally other than those creating the drawings, and who have had to refer to  
the combination of this graphical depiction and its explanatory Drawing Notes as a  
starting point. As previously mentioned, these Specifications are organized in sections,  
20 according to a code system known as MASTERSPEC. A page from the MASTERSPEC  
document which defines these codes is included herewith as Appendix A. Referring to  
Appendix A, it is seen that the code assigned in the MASTERSPEC format to designate  
Gypsum wall board (board assemblies) is 09260.

According to the current invention, this code will be included as an index within the tag permanently assigned to a Drawing Note as assigned by the user, thereby establishing a logical link between the Drawing Note and its associated Specifications Text Block.

Referring now to Figure 2, the current invention contains a database 28 which is used to store the Drawing Notes and their attached tags, as well as the Specifications Text Blocks.

The user 22 in this figure is shown generating a new Drawing Note for use in a new Project. He may either create the Drawing Note himself, using the Linking Software, or he may use a scan 24 process which looks for identical Drawing Notes within the database. If it is found, 26, the user next inserts 30 the Drawing Note into the current Drawing, as part of the current Project. This is an iterative process, and continues throughout the drawing phase of the Project.

Figure 2 also shows the internal workings 38 of the database program. When the database program extracts 32 the desired Drawing Note from the database, it also keeps the reference ID as a link to the Specifications Text Block, contained in a companion database. When the user places the Drawing Note just found into the current drawing, the reference ID is also maintained in the database of the current Project. In addition, this reference ID, or tag, 46, is also embedded into the current Drawing Note 42 data stored within the drawing 40 itself. The CADD program contains its own CADD database wherein Drawing Notes are referenced and arranged to create a Drawing.

Referring now to Figure 1, the user starts 2 the design process by identifying 4 the need for a particular Drawing Note. The appropriate Drawing Note may be located by browsing the Legacy database, or may be created by the user using the Linking Software.



The user will have the opportunity to examine the Drawing Note to insure it is the Drawing Note desired, before inserting it into the Drawing presently under development.

The user next will determine 14 whether the appropriate Drawing Note does, in fact, exist in the database, and if so, the Linking Software locates 16 the Drawing Note in the database. When the Drawing Note is located, it is inserted into the CADD drawing, together with the ID number from the database as a tag 18, or link.

If the desired Drawing Note does not exist, the user creates the Drawing Note 6. The user chooses a unique reference ID number 8 in MASTERSPEC format, and this reference ID number appears as part of a tag attached to the Drawing Note as it is created 10 in the CADD Drawing. In the current embodiment, the tag is invisible to the user, although it may be visible in other embodiments.

The process of searching for previously stored Drawing Notes in combination with the generation of new Drawing Notes as required is an iterative one, and it continues until the user is finished with the current drawing 12, 20.

Referring next to Figure 4, a screen snapshot of the INSERT window shows how the Drawing Notes are entered into the CADD Drawing. The user first selects the Project by means of the button to the left of the project window 76. The Project is selected, and saved, using a file name reserved for this purpose.

The pull-down list 50 allows the user to select the Division of the MASTERSPEC ID number to be displayed (MASTERSPEC ID Codes are organized by Division and Section). As an alternative, the user may search 52 through the Drawing Notes database for a word or phrase contained within the Drawing Notes, or for a MASTERSPEC ID number. The corresponding Drawing Notes are displayed into the window in the center

of the display, with the Section 78 of the MASTERSPEC ID number displayed as the first column, and the corresponding Drawing Note text 70 appearing as the next column to the right.

To edit an existing Drawing Note, the user selects the Drawing Note by clicking either the Section Number or the Text in the row in which the Drawing Note appears, causing the Drawing Note to be highlighted. The user next clicks the “Edit Highlighted...” button 54, which allows the user to change the contents of the Drawing Note by presenting the screen shown in Figure 5.

Still referring to Figure 4, to add a Drawing Note, the user clicks on the “Add Note(s)” button 56. A window appears in which a new Drawing Note and all associated information including the MASTERSPEC reference ID number may be generated. The window is described in greater detail below and is referenced as Figure 5.

Referring now to Figure 5, the pull-down list 80 lists all MASTERSPEC Divisions of the MASTERSPEC code of Figure 4, and the MASTERSPEC Section numbers of Figure 4 are displayed in a pull-down list below, together with a select (PICK) button 82, if a different Section number than that displayed needs to be selected. The text of the Drawing Note is displayed in the central window 84 of this display, where it may be created from scratch in this window which operates as a basic text processor. The Drawing Note text may alternatively be picked from the screen of the CADD program by clicking on the “Pick from Screen” button 96, which will import the text from the screen into the central window 84. As another alternative, the user may select “Add All Notes in Drawing”, which sequentially allows the user to add all the notes in the Drawing into the database.

The user may also assign an optional reference number to be displayed in the CADD Drawing along with the Drawing Note, as may be required by individual office standards, by typing in the 'Ref. Number' window 88. The "Assign Specification Text..." button 90 brings up the screen of Figure 6, allowing the input of the Drawing Note. Once this Specifications Text Block is added, the Drawing Note, with an imbedded link to the Specifications Text Block in the form of the MASTERSPEC reference ID number, is added to the database by means of button 92.

Referring now to Figure 6, this figure shows the window produced when the user clicks the "Assign Specification Text..." button on the screen of Figure 5. The screen of Figure 6 has a central window 102 where individual Specifications Text Blocks are displayed. The Specifications Text Blocks are organized according to MASTERSPEC format, and the figure shows an entry belonging to the CONCRETE Division, Section 03030. Still referring to Figure 6, the MASTERSPEC section number is displayed at the left of the window, and the text to the right. A Web Browser may be loaded by clicking on button 112, which allows for retrieval of Specifications Text Blocks from remote databases, including manufacturer's web sites, which typically include manufacturer's recommended Specifications text. The file path indicating where the completed Specifications Text Block will be saved appears in the window 100 beneath the button.

Editing is done with the assistance of a LOAD button 104, a SAVE button 106, a SAVE AS button 108, and CUT, COPY, and PASTE buttons. These buttons perform the

same functions as in the usual WINDOWS®<sup>1</sup>-based word processors, including MS WORD.

Referring now to Figure 7, a window is generated displaying a hierarchical listing of all unique Drawing Notes, the organizing hierarchy being based on MASTERSPEC format, as discussed previously. When tab-button 122 is chosen, a central window 114 displays the MASTERSPEC section codes as compiled from the Project Drawings that will be output as the majority of the Specifications Document. Drawing Notes also appear in this window aligned with the associated MASTERSPEC Section number. At the top of this window there are other tab-button buttons 118, 120, 124 which allow the user to optionally append additional documents to the Specifications Document including legal documents such as Contracts and Insurance bonds, as may needed according to Industry type and individual office practice.

The implementation described above thus provides the user with a means to archive, maintain, and retrieve for reuse a library of Drawing Notes and Specifications Text Blocks, each such Drawing Note with a numbered link to a corresponding Specifications Text Block, also contained within the library. This library is in the form of a database accessible throughout the architectural firm. The link which associates the Drawing Notes and Specifications Text Blocks also provides a link into the aggregate of Drawing Entities known as a Drawing which is maintained by the CADD system. Thus, the library provides a database of re-usable Drawing Notes and Specifications Text Blocks.

As this system continues to be used, the database will expand until the vast majority of Drawing Notes and Specifications Text Blocks required by Architectural Projects will

---

<sup>1</sup> Trademark of Microsoft, Inc., Redmond, Washington.

be available, thus eliminating the costly process of manually generating these text elements "from scratch" each time a new Drawing is begun.

This implementation may be embodied on a stand-alone computer. It may also be implemented on a computer network, including the INTERNET, thus making the system  
5 available to different offices within the same organization, and remotely located from each other.

While the invention has been described with reference to specific embodiments, it will be apparent that improvements and modifications may be made within the purview of the invention without departing from the scope of the invention defined in the  
10 appended claims.

I claim:

1. A data processing-based method of generating and maintaining Project textual documentation comprising the steps of:

producing a plurality of Drawing Entities for a current Project;

5 storing the Drawing Entities in a first database;

producing a plurality of Specifications Text Blocks;

storing the Specifications Text Blocks in a second database;

linking each Drawing Entity from the current Project with one or more

Specifications Text Blocks, creating a plurality of current Specifications Text

10 Blocks thereby;

assembling each current Specifications Text Block into a Specifications

Document in accordance with an indexing scheme; and

outputting the Specifications Document.

2. The method of claim 1, wherein the first database contains Drawing Entities from

15 previous Projects, and wherein the second database contains Specifications Text Blocks from previous Projects.

3. The method of claim 2, further comprising a legacy database which comprises a plurality of Specifications Text Blocks from previous Projects

4. The method of claim 3, wherein the Drawing Entities further comprise text entities.

20 5. The method of claim 4, further comprising:

searching the first database for a Drawing Entity; and

incorporating a found Drawing Entity into the current Project.

6. The method of claim 5, further comprising editing a Drawing Entity in the first database.

7. The method of claim 6, further comprising editing a Specifications Text Block in the second database.

8. The method of claim 7, wherein the Specifications Document is related to a field of professional endeavor belonging to a group consisting of Industrial Design, Interior Design, Architectural Design, Engineering Design.

9. The method of claim 8, wherein the Specifications Document is comprised of Architectural documentation, and the indexing scheme is the MASTERSPEC numbering system.

10. The method of claim 9, wherein the Drawing Entities are produced by a CADD computer program.

11. The method of claim 10, wherein the linking of the Drawing Entities is done by a Linking Software computer program.

12. The method of claim 11, further comprising editing of the Drawing Entities by the Linking Software.

13. The method of claim 12, wherein the method is effected by one or more members of the group consisting of stand-alone computers, computer networks, and remote data communications networks.

14. A data processing based system for generating and maintaining Project textual documentation comprising:

a plurality of Drawing Entities for a current Project ;

means for producing a plurality of Specifications Text Blocks;

means for storing the Specifications Text Blocks in a second database;

means for linking each Drawing Entity from the current Project with one or more Specifications Text Blocks, creating a plurality of current Specifications Text

5 Blocks thereby;

means for assembling each current Specifications Text Block into a Specifications Document in accordance with an indexing scheme; and

means for outputting the Specifications Document.

10 15. The system of claim 14, wherein the first database contains Drawing Entities from previous Projects, and wherein the second database contains Specifications Text Blocks from previous Projects.

16. The system of claim 15, further comprising a legacy database which comprises a plurality of Specifications Text Blocks from previous Projects.

17. The system of claim 16, wherein the Drawing Entities further comprise text entities.

15 18. The system of claim 17, further comprising:

means for searching the first database for a Drawing Entity; and

means for incorporating a found Drawing Entity into the current Project.

19. The system of claim 18, further comprising means for editing a Drawing Entity in the first database.

20 20. The system of claim 19, further comprising means for editing a Drawing Entity in the first database.

21. The system of claim 20, wherein the Specifications Document is related to a field of professional endeavor belonging to a group consisting of Industrial Design, Interior



21. The system of claim 20, wherein the Specifications Document is related to a field of professional endeavor belonging to a group consisting of Industrial Design, Interior Design, Architectural Design, Engineering Design.

22. The system of claim 21, wherein the Specifications Document is comprised of

5 Architectural documentation, and the indexing scheme is the MASTERSPEC numbering system.

23. The system of claim 22, wherein the Drawing Entities are produced by a CADD computer program.

24. The system of claim 23, wherein the means for linking of the Drawing Entities is

10 done by a Linking Software computer program.

25. The system of claim 24, further comprising means for producing of the Drawing Entities by the Linking Software.

26. The system of claim 25, wherein the method is effected by one or more members of the group consisting of stand-alone computers, computer networks, and remote data

15 communications networks.

## ABSTRACT

A method for automating the production of corroborative Textual Documentation  
5 ('Specifications Documents') for CADD-based Design and Engineering disciplines  
includes a computer-based system with Linking Software. The generation of CADD  
drawings by its nature creates an electronic database of unique graphical entities  
(('Drawing Entities')). This database then becomes the basis for the creation of subsequent  
drawings which may include some or all of the Drawing Entities stored in the database.

10 An electronic link is effected between the generation of CADD drawings, which contain  
the Drawing Entities, and of associated Specifications document text. Unique Drawing  
Entities within a CADD drawing are tagged with a unique identifier. Simultaneously,  
Specifications Text Blocks, each one comprising a subset of the complete Specifications  
Document are generated, and saved to a file. Each Drawing Entity in the database is  
15 uniquely linked to one or more Specifications Text Blocks in that file. Subsequent use of  
the tagged Drawing Entity allows for the automatic re-use of the associated Specifications  
Text Block without further review or effort.




Fig. 1




Fig. 2




Fig. 3




Fig. 4

intelliNOTES: Add a Note or Notes...

1. Division..... DIVISION 3- Concrete

2. Primary Section... 03331 Pick...

3. Assoc. Section(s)... Pick... Delete

Remove MText Formatting Codes ☐ Show Formatting Codes Reset

4. Note Text..... 4" Concrete slab w/ 6x6 W1.4xW1.4 WWF

Pick from Screen >> Skip this Note Add All Notes in Drawing >> Quit

☒ Include Text in Blocks

5. Ref. Number.....

6. Make this Note. ☒ Active ☐ InActive

7. Spec. Text..... Assign Specification Text... ☐ Specification Text is not required...

Status What do I do Now?

Cancel ? Add This Note RT

Fig. 5




Fig. 6






Fig. 7

Please type a plus sign (+) inside this box → ☐

PTO/SB/01 (12-97)  
Approved for use through 9/30/00. OMB 0651-0032  
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE  
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

**DECLARATION FOR UTILITY OR  
DESIGN  
PATENT APPLICATION  
(37 CFR 1.63)**

☒ Declaration Submitted with Initial Filing **OR** ☐ Declaration Submitted after Initial Filing (surcharge (37 CFR 1.16 (e)) required)

Attorney Docket Number GIL-001

First Named Inventor Gillig, R.

**COMPLETE IF KNOWN**

Application Number /

Filing Date

Group Art Unit

Examiner Name

As a below named inventor, I hereby declare that:

My residence, post office address, and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

**SYSTEM FOR AUTOMATED GENERATION AND ASSEMBLY OF SPECIFICATIONS  
DOCUMENTS IN CADD ENVIRONMENTS**

the specification of which (Title of the invention)

☒ is attached hereto  
OR

☐ was filed on (MM/DD/YYYY) as United States Application Number or PCT International

Application Number and was amended on (MM/DD/YYYY) (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56.

I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy Attached?	
				YES	NO
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

☐ Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.

I hereby claim the benefit under 35 U.S.C. 119(e) of any United States provisional application(s) listed below.

Application Number(s)	Filing Date (MM/DD/YYYY)	<input type="checkbox"/> Additional provisional application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.

[Page 1 of 2]

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Please type a plus sign (+) inside this box → ☐

PTO/SB/01 (12-97)  
Approved for use through 9/30/00. OMB 0651-0032

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

## DECLARATION — Utility or Design Patent Application

I hereby claim the benefit under 35 U.S.C. 120 of any United States application(s) or 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT international application in the manner provided by the first paragraph of 35 U.S.C. 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

U.S. Parent Application or PCT Parent Number	Parent Filing Date (MM/DD/YYYY)	Parent Patent Number (if applicable)

☐ Additional U.S. or PCT international application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.

As a named inventor, I hereby appoint the following registered practitioner(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

☐ Customer Number

OR

☒ Registered practitioner(s) name/registration number listed below

Place Customer  
Number Bar Code  
Label here

Name	Registration Number	Name	Registration Number
Mark P. White	37,757		


☐ Additional registered practitioner(s) named on supplemental Registered Practitioner Information sheet PTO/SB/02C attached hereto.

Direct all correspondence to: ☐ Customer Number or Bar Code Label

OR ☒ Correspondence address below

Name	Mark P. White				
Address	57 Bedford Street				
Address	Suite 103				
City	Lexington	State	MA	ZIP	02420
Country	US	Telephone	781-863-2041	Fax	781-863-2250

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Name of Sole or First Inventor:		<input type="checkbox"/> A petition has been filed for this unsigned inventor			
Given Name (first and middle (if any))		Family Name or Surname			
Robert B		Gillig			
Inventor's Signature				Date	7-26-00
Residence: City	Somerville	State	MA	Country	US
Post Office Address	314 Beacon Street, No. 2				
Post Office Address					
City	Somerville	State	MA	ZIP	02143
				Country	US

☐ Additional inventors are being named on the supplemental Additional Inventor(s) sheet(s) PTO/SB/02A attached hereto